

L Number	Hits	Search Text	DB	Time stamp
1	5987	((weight\$3 or adapt\$3 or variabl\$2 or chang\$3 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:09
2	4387	((weight\$3 or adapt\$3 or variabl\$2 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:10
3	61	((((weight\$3 or adapt\$3 or variabl\$2 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet))) and 382/209.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:10
5	61	((((weight\$3 or adapt\$3 or variabl\$2 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet))) and 382/209.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:13
6	5716	((((weight\$3 or adapt\$3 or variabl\$2 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet))) and 382/209.ccls.) and alias\$3 or anti-alias\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:14
7	4	((((weight\$3 or adapt\$3 or variabl\$2 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet))) and 382/209.ccls.) and (alias\$3 or anti-alias\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:14
8	805	382/209.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:34
9	456	382/299.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:34
12	212	loce.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:34
18	5203	382/181,190,209,218,254,256,264,269,282,299	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:34
21	0	((("5365596" "5367578" "5982945" "6381372" "6389163").pn.) and ((anti adj alias\$3) or antialias\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:35
22	1795	(variabl\$2 or adapt\$4) near2 template\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:35
23	0	((("5365596" "5367578" "5982945" "6381372" "6389163").pn.) and ((variabl\$2 or adapt\$4) near2 template\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:35
28	0	((("5138339" "5386509" "5432898" "5438656" "5485289" "5596684" "5646751" "5673376" "5838334" "6057855").PN.) and ((variabl\$2 or adapt\$4) near2 template\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:35

30	0	((anti adj alias\$3) or antialias\$3 or (gray adj edge\$1) or (grey adj edge\$1)) same ((variabl\$2 or adapt\$5 or chang\$4) near4 (template\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:35
31	0	((anti adj alias\$3) or antialias\$3 or (gray adj edge\$1) or (grey adj edge\$1)) same ((variabl\$2 or adapt\$5 or chang\$4) near8 (template\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:35
35	6155	(estimat\$3 approximat\$3 rough\$2 preliminary) near4 (overlap\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:35
36	197	((estimat\$3 approximat\$3 rough\$2 preliminary) near4 (overlap\$5)) and ((exact\$3 precis\$4 definite accurat\$3 distinct) near4 (overlap\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:35
40	272	merg\$3 and ((rough\$2 estimat\$3 approximat\$3) near3 (overlap\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:35
45	4427	((variabl\$2 or adapt\$5 or chang\$4) near3 (template\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:35
46	115	((variabl\$2 or adapt\$5 or chang\$4) near3 (template\$1)) and ((convert\$3 reduc\$3 lower\$3) near2 (resolution\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:35
47	0	((variabl\$2 or adapt\$5 or chang\$4) near3 (template\$1)) and ((convert\$3 reduc\$3 lower\$3) near2 (resolution\$1)) and (maintain\$3 near2 width)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:35
50	0	allias	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:35
53	0	(recognition same ((anti adj alias\$3) or antialias\$3) same (template\$1) with (variable adapt\$4 changeable))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:36
54	0	(line\$1 with width\$1) same ((anti adj alias\$3) or antialias\$3) same (template\$1) with (variable adapt\$4 changeable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:36
56	0	"6021256" and ((adapt\$4 variabl\$3 chang\$3) near3 template)	USPAT	2004/03/16 13:36
57	0	("5742703" "5696845").pn. and ((adapt\$4 loose variabl\$3 chang\$3) near3 template)	USPAT	2004/03/16 13:36
63	1680	line near art	USPAT	2004/03/16 13:36
69	0	20020076107.pn.	USPAT	2004/03/16 13:36
73	362	process\$3 with ((anti adj alias\$3) antialias\$3) with image\$1	USPAT; US-PGPUB	2004/03/16 13:36
75	29	(process\$3 with ((anti adj alias\$3) antialias\$3) with image\$1) and template	USPAT; US-PGPUB	2004/03/16 13:36
76	21	(process\$3 with ((anti adj alias\$3) antialias\$3) with image\$1) and templates	USPAT; US-PGPUB	2004/03/16 13:36
78	1022	((anti adj alias\$3) antialias\$3) with image\$1	USPAT; US-PGPUB	2004/03/16 13:36
79	1011	345/611-616.ccls. 382/266,269.ccls.	USPAT; US-PGPUB	2004/03/16 13:36

80	167	((anti adj alias\$3) antialias\$3) with image\$1) and (345/611-616.ccls. 382/266,269.ccls.)	USPAT; US-PGPUB	2004/03/16 13:36
83	1081	(lpf or lp or lowpas\$4 or (low adj pas\$4)) near4 ((anti adj alias\$3) or antialias\$3)	USPAT; US-PGPUB	2004/03/16 13:36
84	2426	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3))	USPAT	2004/03/16 13:36
86	0	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) near5 ((anti adj alias\$3) or antialias\$3)	USPAT	2004/03/16 13:36
87	0	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) same((anti adj alias\$3) or antialias\$3)	USPAT	2004/03/16 13:36
88	11	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) near5 ((anti adj alias\$3) or antialias\$3 or lp or lpf or gaus\$7 or (low adj pas\$4) or lowpas\$4 or blur\$4 or smooth\$3)	USPAT	2004/03/16 13:36
91	630	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) and ((anti adj alias\$3) or antialias\$3 or lp or lpf or gaus\$7 or (low adj pas\$4) or lowpas\$4 or blur\$4 or smooth\$3)	USPAT	2004/03/16 13:36
92	925	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) and ((anti adj alias\$3) or antialias\$3 or lp or lpf or gaus\$7 or (low adj pas\$4) or lowpas\$4 or blur\$4 or smooth\$3)	USPAT; US-PGPUB	2004/03/16 13:36
97	442	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) and ((anti adj alias\$3) or antialias\$3 or lp or lpf or gaus\$7 or (low adj pas\$4) or lowpas\$4 or blur\$4)	USPAT; US-PGPUB	2004/03/16 13:37
102	78	(gray adj edge\$1) or gray-edge\$1	USPAT	2004/03/16 13:37
104	428	contone	USPAT	2004/03/16 13:37
108	0	(antialias\$3 or (anti adj alias\$3) or ((gray or grey) adj (edge\$1)) or gray-edge\$1) same ((weight\$3 or adapt\$3 or variabl\$2 or chang\$3 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet)) same (resolution or decimat\$3 or down-scal\$3 or down-sampl\$3 or (down adj (sampl\$3 or scal\$3)))	USPAT; US-PGPUB	2004/03/16 13:37
109	0	(antialias\$3 or (anti adj alias\$3) or ((gray or grey) adj (edge\$1)) or gray-edge\$1) same ((weight\$3 or adapt\$3 or variabl\$2 or chang\$3 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet)) same (resolution or decimat\$3 or down-scal\$3 or down-sampl\$3 or (down adj (sampl\$3 or scal\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:37
10	6	382/209.ccls. and 382/299.ccls.	USPAT	2004/03/16 13:38
11	12	382/209.ccls. and ((anti adj alias\$3) or antialias\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
13	135	loce.in. and robert	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38

14	26	(loce.in. and robert) and ((anti adj alias\$3) or antialias\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
15	1	"5226175".PN.	USPÄT	2004/03/16 13:38
16	23	("4437122" "4544264" "4646355" "4791679" "4847641" "5005139" "5079123" "5134495" "5193008" "5237646" "5265176" "5282057" "5329599" "5365251" "5365596" "5367578" "5387985" "5579445" "5696845" "5742703" "5982945" "6381372" "6389163").PN.	USPAT	2004/03/16 13:38
17	2	process\$3 near4 ((anti adj alias\$3) or antialias\$3) near7 template\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
19	117	382/181,190,209,218,254,256,264,269,282,299, and ((anti adj alias\$3) or antialias\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
20	2	6686922.pn.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
24	10	("5365596" "5367578" "5982945" "6381372" "6389163").pn.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
25	7	(convert\$3 near2 resolution\$1) same (control\$4 near2 width\$1)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
26	4	roger near william near call	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
27	10	("5138339" "5386509" "5432898" "5438656" "5485289" "5596684" "5646751" "5673376" "5838334" "6057855").PN.	USPÄT	2004/03/16 13:38
29	13	((("5138339" "5386509" "5432898" "5438656" "5485289" "5596684" "5646751" "5673376" "5838334" "6057855").PN.) and ((anti adj alias\$3) or antialias\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
32	47	((anti adj alias\$3) or antialias\$3 or (gray adj edge\$1) or (grey adj edge\$1)) same template\$1	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
33	1	"5226175".PN.	USPÄT	2004/03/16 13:38
34	23	("4437122" "4544264" "4646355" "4791679" "4847641" "5005139" "5079123" "5134495" "5193008" "5237646" "5265176" "5282057" "5329599" "5365251" "5365596" "5367578" "5387985" "5579445" "5696845" "5742703" "5982945" "6381372" "6389163").PN.	USPAT	2004/03/16 13:38
37	41	((estimat\$3 approximat\$3 rough\$2 preliminary) near4 (overlap\$5)) same ((exact\$3 precis\$4 definite accurat\$3 distinct) near4 (overlap\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38

38	25	((estimat\$3 approximat\$3 rough\$2 preliminary) near4 (overlap\$5)) and ((exact\$3 precis\$4 definite accurat\$3 distinct) near4 (overlap\$5))) and merg\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
39	2	((general) near4 (overlap\$5)) same (exact\$3 near4 (overlap\$5))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
41	68	merg\$3 and ((rough\$2 estimat\$3 approximat\$3) near (overlap\$4))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
42	5	merg\$3 and ((rough\$2 estimat\$3 approximat\$3) near (overlap\$4)) and (calculat\$3 near overlap\$4)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
43	1	merg\$3 and ((rough\$2 estimat\$3 approximat\$3) near (overlap\$4)) and (exact near overlap\$4)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
44	14	(merg\$3 combin\$3 blend\$3 stitch\$3) and ((rough\$2 estimat\$3 approximat\$3) near (overlap\$4)) and ((calculat\$3 or exact) near overlap\$4)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
48	33	((variabl\$2 or adapt\$5 or chang\$4) near3 (template\$1)) and ((convert\$3 reduc\$3 lower\$3) near2 (resolution\$1)) and (alias\$3)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
49	3	((variabl\$2 or adapt\$5 or chang\$4) near3 (template\$1)) and ((convert\$3 reduc\$3 lower\$3) near2 (resolution\$1)) and ((control or maintain) near2 width)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
51	2	alliated	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
52	115	((variabl\$2 or adapt\$5 or chang\$4) near3 (template\$1)) and ((convert\$3 reduc\$3 lower\$3) near2 (resolution\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
55	13	("4437122" "4847641" "4933689" "5005139" "5237646" "5383036" "5387985" "5454371" "5579445" "5687297" "5696845" "5742703" "6021256").PN.	USPAT	2004/03/16 13:38
58	1	"5226175".PN.	USPAT	2004/03/16 13:38
59	23	("4437122" "4544264" "4646355" "4791679" "4847641" "5005139" "5079123" "5134495" "5193008" "5237646" "5265176" "5282057" "5329599" "5365251" "5365596" "5367578" "5387985" "5579445" "5696845" "5742703" "5982945" "6381372" "6389163").PN.	USPAT	2004/03/16 13:38

60	2	((("4437122" "4544264" "4646355" "4791679" "4847641" "5005139" "5079123" "5134495" "5193008" "5237646" "5265176" "5282057" "5329599" "5365251" "5365596" "5367578" "5387985" "5579445" "5696845" "5742703" "5982945" "6381372" "6389163").PN.) and ((adapt\$4 loose variabl\$3 chang\$3) near3 template)	USPAT	2004/03/16 13:38
61	50	("5237650" "5444552" "5339092" "5390289" "5392385" "5940080" "5943063" "5969699" "6057855" "6097400" "6144461" "6204856" "4808984" "4827253" "5249263" "5261030" "5264838" "5293579" "5412402" "5422986" "5557297" "5621869" "5646751" "5651104" "5673376" "5701365" "5737455" "5818518" "5872902" "5872729" "5929866" "5999659" "6018350" "6115050" "6137918" "6167166" "6243499" "4586037" "4796020" "4825388" "4843380" "4952876" "4954912" "5201030" "5313228" "5379129" "5493644" "5542032" "5598182" "5666156").pn. binary near line near art (line near art) and ((anti adj alias\$3) or antialias\$3) "5226175".PN. 5742703.pn. ("5138339" "5386509" "5432898" "5438656" "5485289" "5596684" "5646751" "5673376" "5838334" "6137918" "6144461" "6167166").PN. ("5138339" "5386509" "5432898" "5438656" "5485289" "5596684" "5646751" "5673376" "5838334" "6057855").PN.	USPAT	2004/03/16 13:38
62	5	binary near line near art	USPAT	2004/03/16 13:38
64	46	(line near art) and ((anti adj alias\$3) or antialias\$3)	USPAT	2004/03/16 13:38
65	1	"5226175".PN.	USPAT	2004/03/16 13:38
66	1	5742703.pn.	USPAT	2004/03/16 13:38
67	12	("5138339" "5386509" "5432898" "5438656" "5485289" "5596684" "5646751" "5673376" "5838334" "6137918" "6144461" "6167166").PN. ("5138339" "5386509" "5432898" "5438656" "5485289" "5596684" "5646751" "5673376" "5838334" "6057855").PN.	USPAT	2004/03/16 13:38
68	10	(("5138339" "5386509" "5432898" "5438656" "5485289" "5596684" "5646751" "5673376" "5838334" "6057855").PN.	USPAT	2004/03/16 13:38

70	1	20020076107.pn.	USPAT;	2004/03/16 13:38
71	1	5365251.pn.	US-PGPUB	2004/03/16 13:38
72	8	("5138339" "5386509" "5432898" "5438656" "5485289" "5596684" "5646751" "5673376").PN.	USPAT; US-PGPUB USPAT	2004/03/16 13:38
74	409	345/611-616.ccls.	USPAT; US-PGPUB	2004/03/16 13:38
77	32	(process\$3 with ((anti adj alias\$3) antialias\$3) with image\$1) and template\$1	USPAT; US-PGPUB	2004/03/16 13:38
81	1	6522425.pn.	USPAT; US-PGPUB	2004/03/16 13:38
82	10	((((anti adj alias\$3) antialias\$3) with image\$1) and (345/611-616.ccls. 382/266,269.ccls.)) and template\$1	USPAT; US-PGPUB	2004/03/16 13:38
85	2	345/611-616.ccls. and ((lpf or lp or lowpas\$4 or (low adj pas\$4)) near4 ((anti adj alias\$3) or antialias\$3))	USPAT	2004/03/16 13:38
89	44	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) and ((anti adj alias\$3) or antialias\$3)	USPAT	2004/03/16 13:38
90	2	5193008.pn. 5134495.pn.	USPAT	2004/03/16 13:38
93	7	(345/611-616.ccls. 382/266,269.ccls.) and ((template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) and ((anti adj alias\$3) or antialias\$3 or lp or lpf or gaus\$7 or (low adj pas\$4) or lowpas\$4 or blur\$4 or smooth\$3))	USPAT	2004/03/16 13:38
94	23	("4437122" "4544264" "4646355" "4791679" "4847641" "5005139" "5079123" "5134495" "5193008" "5237646" "5265176" "5282057" "5329599" "5365251" "5365596" "5367578" "5387985" "5579445" "5696845" "5742703" "5982945" "6381372" "6389163").PN.	USPAT	2004/03/16 13:38
95	36	((template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) and ((anti adj alias\$3) or antialias\$3 or lp or lpf or gaus\$7 or (low adj pas\$4) or lowpas\$4 or blur\$4 or smooth\$3)) and 382/209.ccls.	USPAT; US-PGPUB	2004/03/16 13:38
96	153	((template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) and ((anti adj alias\$3) or antialias\$3 or lp or lpf or gaus\$7 or (low adj pas\$4) or lowpas\$4 or blur\$4 or smooth\$3)) and 382.clas.	USPAT; US-PGPUB	2004/03/16 13:38
98	116	((template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) and ((anti adj alias\$3) or antialias\$3 or lp or lpf or gaus\$7 or (low adj pas\$4) or lowpas\$4 or blur\$4)) and 382.clas.	USPAT; US-PGPUB	2004/03/16 13:38
99	4	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) near5 (resolution\$1 or (down adj (sampl\$3 scal\$3)) decimat\$3 downsampl\$3 downscal\$3)	USPAT	2004/03/16 13:38
100	45	(template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) same (resolution\$1 or (down adj (sampl\$3 scal\$3)) decimat\$3 downsampl\$3 downscal\$3)	USPAT; US-PGPUB	2004/03/16 13:38
101	37	(anti-alias\$1 (anti adj alias\$3) or antialias\$3) near5 (preprocess\$3 or (process\$3 near (first or before)))	USPAT; US-PGPUB	2004/03/16 13:38
103	10	((gray adj edge\$1) or gray-edge\$1) and (template\$1)	USPAT	2004/03/16 13:38

105	22	(anti-alias\$3 or (antialias\$3) or contone) and ((adapt\$4 chang\$3 dynamic alter\$3 vary\$3 variabl\$2) near2 (template\$1 or templet)) near5 (match\$3))	USPAT; US-PGPUB; EPO; JPO	2004/03/16 13:38
106	1	5859930.pn.	USPAT; US-PGPUB	2004/03/16 13:38
107	154	((template\$1 near2 (weigh\$3 adapt\$4 variab\$2 chang\$3 dynamic\$4 alter\$3 vary\$3)) and ((anti adj alias\$3) or antialias\$3 or lp or lpf or gaus\$7 or (low adj pas\$4) or lowpas\$4 or blur\$4 or smooth\$3)) and (382.clas. or 345/611-616.ccls.)	USPAT; US-PGPUB	2004/03/16 13:38
110	9	(antialias\$3 or (anti adj alias\$3) or ((gray or grey) adj (edge\$1)) or gray-edge\$1) and ((weight\$3 or adapt\$3 or variabl\$2 or chang\$3 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet)) same (resolution or decimat\$3 or down-scal\$3 or down-sampl\$3 or (down adj (sampl\$3 or scal\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
111	60	((weight\$3 or adapt\$3 or variabl\$2 or chang\$3 or dynamic\$2 or alter\$3 or vary\$3) near3 (template\$1 or templet)) same (resolution or decimat\$3 or down-scal\$3 or down-sampl\$3 or (down adj (sampl\$3 or scal\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
112	2	5910805.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38
113	2	6380961.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:38